

## “Pinwheel Swirl”

Your quilt consists of blocks finishing at 12” with sashing and cornersquares being used between blocks and rows. This quilt contains speed methods for piecing and also uses a specific ruler for part of the construction.

The quilt is made up of 3 fabrics .... light, dark and complimentary/contrast.. The dark and complimentary/contrast need to be somewhat the same value. Here are some hints for selecting your fabrics:

### Light

- used as background in block
- used as sashing and cornersquare
- used as 1<sup>st</sup> border
- touches all colors
- tone on tone (white on white or muslin on muslin) .... textured ..... non descript
- not recommended for directional fabrics

### Dark (red)

- used in block
- used as 2<sup>nd</sup> border (small accent strip)
- touches only light
- textured .... non descript .... small to medium compact print ... plaid or stripe
- directional fabric possible

### Complimentary/Contrast (blue)

- used in block
- touches only light
- used as 3<sup>rd</sup> border
- textured .... non descript .... small to medium compact print
- not recommended for directional fabrics


The borders to this quilt will have mitered corners. Again, if you wish the quilt to be larger, then you can increase the size of the borders or add an additional one. The strips will be cut crossgrain, so seaming may occur. The yardage amounts are figured so the joining seams of strips will be sewn using a straight seam, if you wish them to be on the 45°, then you may possibly have to cut an additional strip.

All strips for the pattern will also be crossgrain and based on the width of fabric being 40”. Depending on your particular pieces, you may have extra strips leftover, or possibly you’ll have to cut additional strips. To ensure you have ample fabric, I’ve increased the yardage on all pieces somewhere between 1/8yd to a 1/4yd. Please read all directions and bring and purchase all supplies listed

Linda Ballard  
(530) 547-3461 [linda@letsquilt.com](mailto:linda@letsquilt.com)

please come precut

# Pinwheel Swirl



Presented by  
Linda Ballard

## Yardage:

### Wallhanging - 4 blocks

26" x 26" approximately before borders

38" x 38" approximately after borders

Light	1 yard
Dark	1/3 yard
Complimentary/Contrast	5/8 yard
Border 1 (light)	1/3 yard
Border 2 (dark)	1/4 yard
Border 3 (complimentary/contrast)	2/3 yard
Binding	1/3 yard
Backing	1 1/4 yards

## Supplies:

Sewing Machine and Manual	Rotary Cutter and Mat
Clear Ruler	Bias Square Ruler™
TRI-RECS Tool™	Thread
Pins	Scissors (fabric)
Seam Ripper	Tape Measure
Masking Tape	Post-It Notes™
Extension Cord and Power Strip	1 yard white flannel (for wall)

## Optional Supplies:

Extra Sewing Machine	Portable Design Board
Square Ruler (12 1/2" or larger)	Clamp on light

All sizes are included in cutting directions, it reads as follows:

wallhanging .... first number before ( )

throw .... number within ( )

## Cutting:

### Light -

\* Cut 1 1/2" x 40" strips  
8 (19) needed

\* Cut 4 1/2" x 40" strips  
2 (4) needed

\* Cut 6 1/4" x 40" strip  
1 (1) needed

cut apart at 6 1/4" intervals (6 1/4" x 6 1/4" squares)  
2 (6) needed

### Dark -

\* Cut 1 1/2" x 40" strips  
5 (10) needed

### Complimentary/Contrast

\* Cut 4 1/2" x 40" strips  
2 (4) needed

\* Cut 6 1/4" x 40" strip  
1 (1) needed

cut apart at 6 1/4" intervals (6 1/4" x 6 1/4" squares)  
2 (6) needed